

### **COVID-19:**

### **Data Update for Leicestershire**

Week 45 of 2021

Business Intelligence Service Chief Executive's Department Leicestershire County Council County Hall, Glenfield Leicester LE3 8RA

Tel 0116 305 6059

Email: <u>kajal.lad@leics.gov.uk</u>

Produced by the Business Intelligence Service at Leicestershire County Council.

Whilst every effort has been made to ensure the accuracy of the information contained within this report, Leicestershire County Council cannot be held responsible for any errors or omission relating to the data contained within the report.

## What have we learnt from the newly released Covid-19 data?

A series of publicly available dashboards examining Covid-19 cases, deaths involving Covid-19 and a district summary are available at the below links. A summary narrative to support the data in these dashboards then follows.

- Deaths involving Covid-19
- Covid-19 Summary at District Level
- PHE Weekly Covid-19 Cases

### 1. Fifteen deaths<sup>1</sup> involving Covid-19 were recorded in Leicestershire in the last week

- As of week 45 2021 (up to 12<sup>th</sup> November), there has been a total of 1,710 deaths in Leicestershire. The weekly count of deaths has increased from 10 deaths in week 44 of 2021 to 15 deaths in week 45 of 2021.
- Of all deaths involving Covid-19 in Leicestershire, 1,156 (67.6%) were in hospital and 419 (24.5%) were in a care home.
- In week 45 in Leicestershire, there were 12 deaths in a hospital, two deaths in a care home and one death in an 'other' setting.


<sup>&</sup>lt;sup>1</sup> Death counts are based on death occurrences. The death is counted as involving Covid-19 if Covid-19 was mentioned on the death certificate. Please note, Covid-19 may not have been confirmed by a test. Source: Office for National Statistics (2021)

Deaths (numbers) by local authority and place of death, for deaths that occurred up to 12<sup>th</sup> November but were registered up to 20<sup>th</sup> November.

	Care Home		Elsewhere		Home		Hospice		Hospital		Total				Danielatian
	Count	Rate	Count	Rate	Count	Rate	Count	Rate	Count	Rate	Count	Rate	LCI	UCI	Population
Blaby	49	48.1	7	6.9	14	13.7	1	1.0	183	179.5	254	249.1	219.4	281.7	101,950
Charnwood	106	56.3	8	4.2	20	10.6	6	3.2	266	141.2	406	215.5	195.0	237.5	188,416
Harborough	56	58.6	2	2.1	12	12.6	2	2.1	120	125.6	192	201.0	173.5	231.5	95,537
H&B	65	57.2	0	0.0	13	11.4	5	4.4	182	160.1	265	233.1	205.9	263.0	113,666
Melton	44	85.6	1	1.9	7	13.6	1	1.9	74	144.0	127	247.1	206.0	294.0	51,394
NWLeics	50	47.7	2	1.9	18	17.2	6	5.7	187	178.4	263	250.9	221.5	283.2	104,809
O&W	49	85.5	2	3.5	8	14.0	0	0.0	144	251.3	203	354.2	307.1	406.4	57,313
Leicestershire	419	58.8	22	3.1	92	12.9	21	2.9	1156	162.1	1710	239.8	228.6	251.4	713085
Rutland	32	79.1	0	0.0	6	14.8	2	4.9	38	93.9	78	192.7	152.3	240.5	40476
Leicester City	152	42.9	26	7.3	80	22.6	2	0.6	729	205.9	989	279.4	262.2	297.3	354036
LLR	603	54.4	48	4.3	178	16.1	25	2.3	1923	173.6	2777	250.7	241.5	260.2	1107597

#### 2. There were 22 excess deaths recorded in Leicestershire in the last week

- Counts of excess deaths in Leicestershire have fluctuated over the last 10 weeks. The number of all deaths seen has decreased from week 44 2021 to week 45 2021. The latest figures from ONS show that 142 deaths occurred in Leicestershire in week 45 of 2021. There were 22 excess deaths reported in the last week.
- The latest weeks data shows that there were 15 deaths that mentioned Covid-19 on the death certificate in week 45.




# 3. Two areas in Blaby, one area in Charnwood and one area in Oadby and Wigston has a significantly higher percentage of deaths involving Covid-19 than the national percentage

Note: There is no further update available for this data.

- The map below examines the statistical significance compared to England, of the percentage of deaths involving Covid-19 by Middle Layer Super Output Area (MSOA) in Leicestershire and Rutland. These deaths occurred between 1<sup>st</sup> March 2020 and 30<sup>th</sup> April 2021.
- Stoney Stanton, Sapcote & Sharnton in Blaby recorded 33 deaths involving Covid-19 in this time period, this represented 27.3% of all deaths. Kirby Muxloe and Thurlaston in Blaby recorded 31 deaths involving Covid-19 in this time period, this represented 26.7% of all deaths. Birstall Wanlip & Riverside in Charnwood recorded 30 deaths involving Covid-19 in this time period, this represented 24.6% of all deaths. Oadby North & East in Oadby and Wigston recorded 38 deaths involving Covid-19 which represented 23.6% of all deaths.
- Nationally, deaths involving Covid-19 made up under a fifth (17.1%) of all deaths.
- 12 MSOAs in Leicestershire and Rutland have a significantly lower percentage of deaths involving Covid-19 compared to England. These are:
  - Market Bosworth, Barlestone & Sheepy Magna in Hinckley and Bosworth (11, 10.0%)
  - Bottesfored, Harby & Croxton Kerrial in Melton (12, 9.9%)
  - Loughborough Outwoods in Charnwood (10, 9.6%)
  - Market Harborough Central in Harborough (10, 8.7%)
  - Broughton Astley in Harborough (8, 8.6%)
  - Thurcaston, Woodhouse & Bradgate in Charnwood (8, 8.3%)
  - Market Overton, Cottesmore & Empingham in Rutland (6, 8.3%)
  - Countesthorpe & Kilby in Blaby (6, 8.3%)
  - o Thringstone & Swannington in North West Leicestershire (7, 7.8%)
  - Hinckley Clarendon Park in Hinckley and Bosworth (5, 7.7%)
  - Melton Mowbray South in Melton (7, 7.2%)
  - Fleckney, Kilworth & Foxton in Harborough (7, 5.7%)
- Further data examining deaths involving Covid-19 by local area is available in the dashboard available at this link.


Statistical Significance compared to England of the deaths involving Covid-19 by Middle Layer Super Output Area, Leicestershire and Rutland, deaths occurring between 1<sup>st</sup> March 2020 and 30<sup>th</sup> April 2021.



#### 4. Weekly counts of cases have decreased in the past week in Leicestershire

Note: Public Health England has updated the way cases are reported in England. Reported cases are sometimes removed if subsequent tests are negative. This happens when cases identified through a positive rapid lateral flow test are followed by polymerase chain reaction (PCR) tests within 3 days that are all negative. This means cases may be retroactively removed or changed and as such the data may fluctuate.


- As of 21<sup>st</sup> November, Leicestershire has recorded a total of 110,210 lab-confirmed cases of Covid-19. This data relates to pillar 1 and 2 cases.
- From January 11<sup>th</sup> to the beginning of May, cases had been decreasing. From then to mid July the cases increased before decreasing in w/c 19<sup>th</sup> July. Since then, the weekly counts of cases have shown an increasing trend, with the exception of the weeks between the 20<sup>th</sup> September and the 1<sup>st</sup> November where the weekly counts of cases showed a decreasing trend.
- The latest weekly data shows 3,548 cases have been confirmed in Leicestershire in the last week. This count has decreased compared to the previous week where 3,840 cases were confirmed.



### 5. Hinckley and Bosworth has the highest weekly incidence rate of Covid-19 cases for people of all ages in the county


Note: Public Health England has updated the way cases are reported in England. Reported cases are sometimes removed if subsequent tests are negative. This happens when cases identified through a positive rapid lateral flow test are followed by polymerase chain reaction (PCR) tests within 3 days that are all negative. This means cases may be retroactively removed or changed and as such the data may fluctuate.

- The incidence rate for Covid-19 cases in Leicestershire had shown a declining trend between the beginning of January and the final week of April. The incidence rate in Leicestershire then fluctuated between the final week of April and the middle of May. The incidence rate then increased until the 16<sup>th</sup> of July. Since then, the incidence rate has fluctuated. The incidence rate in Leicestershire (550.4 per 100,000 population) is higher than the national rate (414.6 per 100,000 population) as of 14<sup>th</sup> November 2021.
- The latest weekly incidence rates of Covid-19 cases for people of all ages (as of 14<sup>th</sup> November) show that the following area rates in Leicestershire are higher than the national rate (414.6 per 100,000 population):
  - Hinckley & Bosworth; 668.6 per 100,000 (760 cases)
  - Charnwood; 619.9 per 100,000 (1168 cases)
  - Melton; 593.5 per 100,000 (305 cases)
  - Blaby; 539.5 per 100,000 (550 cases)
  - Harborough; 530.7 per 100,000 (507 cases)
  - Oadby & Wigston; 509.5 per 100,000 (292 cases)
- The following area rates in Leicestershire are lower than the national rate (414.6 per 100,000 population):
  - North West Leicestershire; 327.3 per 100,000 (343 cases)
- Rutland has a higher incidence rate of Covid-19 cases (639.9 per 100,000) than England for people of all ages. This equates to 259 cases.




## 6. Harborough has the highest weekly incidence rate of Covid-19 cases for people aged 17-21 in the county

- Between the 5<sup>th</sup> of January and the 5<sup>th</sup> of April the weekly incidence rate of Covid-19 for people aged 17-21 had been declining. From the 5<sup>th</sup> of April to the end of May the rate fluctuated. Since then the weekly incidence rate of Covid-19 for people aged 17-21 in Leicestershire has shown an increasing trend, with the exception of the period between the 14<sup>th</sup> of July and the 23<sup>rd</sup> of July, the 5<sup>th</sup> of August to the 5<sup>th</sup> of October and the last four days where the incidence rate declined, and the 5<sup>th</sup> October to the 31<sup>st</sup> of October where the rate fluctuated.
- As of the 14<sup>th</sup> of November, the rate for Leicestershire (323.6 per 100,000 population) is higher than the national rate for people aged 17-21 (288.8 per 100,000 population).
- The latest weekly incidence rates of Covid-19 cases for people aged 17-21 (as of 14<sup>th</sup> November) show that the following area rates in Leicestershire are higher than the national rate (288.8 per 100,000 population):
  - Harborough; 633.1 per 100,000 (27 cases)
  - Blaby; 528.6 per 100,000 (24 cases)
  - Oadby & Wigston; 367.1 per 100,000 (15 cases)
  - Hinckley & Bosworth; 354.1 per 100,000 (18 cases)
- The following area rates in Leicestershire are lower than the national rate (288.8 per 100,000 population):
  - Melton; 264.6 per 100,000 (6 cases)
  - North West Leicestershire; 242.4 per 100,000 (12 cases)
  - Charnwood; 206.2 per 100,000 (36 cases)
- Rutland has a higher incidence rate of Covid-19 cases (530.0 per 100,000) than England for people aged 17-21. This equates to 9 cases.




### 7. Hinckley and Bosworth has the highest weekly incidence rate of Covid-19 cases for people aged 60+ in the county

- The incidence rate for Covid-19 cases in people aged 60+ in Leicestershire showed a declining trend between the beginning of January and the middle of May, with the exception of the first two weeks of April where the rate showed an increasing trend. From the middle of May to the first week of June the rate showed an increasing trend, before fluctuating for two weeks. Since then the rate has shown an increasing trend, with the exception of the period between the 18<sup>th</sup> of July and the 30<sup>th</sup> of July and the 5<sup>th</sup> of September and the 3<sup>rd</sup> of October where the incidence rate fluctuated and since the 26<sup>th</sup> of October where the rate has shown a decreasing trend. The rate for Leicestershire (222.6 per 100,000 population) is higher than the national rate (167.6 per 100,000 population) as of 14<sup>th</sup> November.
- The latest weekly incidence rates of Covid-19 cases for people aged 60+ (as of 14<sup>th</sup> November) show that the following area rates in Leicestershire are higher than the national rate (167.6 per 100,000 population):
  - Hinckley & Bosworth; 272.1 per 100,000 (88 cases)
  - Charnwood; 252.2 per 100,000 (112 cases)
  - o Blaby; 238.2 per 100,000 (64 cases)
  - Melton; 211.7 per 100,000 (33 cases)
  - North West Leicestershire; 196.5 per 100,000 (54 cases)
  - Oadby & Wigston; 190.8 per 100,000 (30 cases)
- The following area rates in Leicestershire are lower than the national rate (167.6 per 100,000 population):
  - Harborough; 151.0 per 100,000 (41 cases)
- Rutland has a lower incidence rate of Covid-19 cases (153.6 per 100,000) than England for people aged 60+. This equates to 20 cases.



#### 8. Leicestershire has seen an increase in the weekly rate of Covid-19 cases

- There has been an increase in the weekly rate of Covid-19 cases in Leicestershire from 371.6 (per 100,000 population) in week 44 of 2021 to 523.9 (per 100,000 population) in week 45 of 2021.
- As of week 45 (8<sup>th</sup> November to 14<sup>th</sup> November 2021), Leicestershire is ranked 7<sup>th</sup> (highest) out of 149 upper tier local authorities and ranked 2<sup>nd</sup> (highest) out of its CIPFA similar areas.




## 9. The MSOA with the highest count of Covid-19 cases in the last week was Market Harborough West, Great Bowden and Lubenham in Harborough


- Up to 16<sup>th</sup> November (week 45 of 2021), the Middle Super Output Area (MSOA) with the highest count of confirmed cases of Covid-19 was Market Harborough West, Great Bowden & Lubenham with 101 reported cases. This was followed by:
  - o Birstall Wanlip & Riverside (79)
  - Sileby (77)
  - Oadby North & East (75)
  - o Houghton, Thurby & Scraptoft (74); Market Bosworth, Barlestone & Sheepy Magna (74)
  - o Burbage Sketchley & Stretton (73); Earl Shilton (73); Mountsorrel & Rothley (73)
  - Loughborough Shelthorpe & Woodthorpe (68); Melton Mowbray West (68)
  - o East Goscote & Queniborough (66); Kibworth & Great Glen (66)
  - Hinckley West (65)
- All other areas recorded less than 65 cases in the last week.
- Areas that recorded between zero and two cases in the last week have been suppressed due to data disclosure and are represented as white in the map below.

Weekly Counts of Lab-confirmed Covid-19 cases by Middle Layer Super Output Area, Leicester, Leicestershire and Rutland











#### 10. Covid-19 Vaccination Uptake Summary

The following tables show a summary of Covid-19 vaccination uptake by Local Authority and District with a breakdown for the over 18 age cohort.

• Up to 14<sup>th</sup> November 2021, the Covid-19 dose 1 vaccination uptake for the over 18 age cohort was 88.0% in Leicestershire and 91.6% in Rutland. The Covid-19 dose 2 vaccination uptake for the over 18 age cohort in Leicestershire was 84.8%, whilst the dose 2 uptake in Rutland was 88.4%.




• Most districts (apart from Charnwood) have a Covid-19 dose 1 vaccination uptake for the over 18 age cohort of at least 85%, with Harborough having the highest uptake with 90.9% and Charnwood having the lowest with 84.5%. With the exception of Charnwood and Oadby and Wigston, all districts have a Covid-19 dose 2 vaccination uptake for the over 18 age cohort of at least 85%, with Harborough having the highest uptake with 88.2% and Charnwood having the lowest with 81.0%.




The following map shows a summary of Covid-19 vaccination uptake (dose 1) in Leicestershire and Rutland by Middle Super Output Area (MSOA) for the over 18 age cohort.

- Up to 14<sup>th</sup> November 2021, Ashby de la Zouch South was the MSOA with the highest Covid-19 vaccination uptake for the over 18 age cohort with an uptake of 94.2%. This was followed by:
  - Ketton, Ryhall & Luffenham; 93.8%
  - Bottesford, Harby & Croxton Kerrial; 93.1%
  - Waltham, Wymondham & Great Dalby; 93.1%
  - Ashby de la Zouch North; 92.9%
- Loughborough University was the MSOA with the lowest Covid-19 vaccination uptake for the over 18 age cohort with an uptake of 67.5%. This was followed by:
  - Loughborough Storer & Queen's Park; 68.6%
  - Loughborough Lemyngton & Hastings; 72.3%
  - o Loughborough Shelthorpe & Woodthorpe; 79.4%
  - Coalville; 81.9%



The following map shows a summary of Covid-19 vaccination uptake (dose 2) in Leicestershire and Rutland by Middle Super Output Area (MSOA) for the over 18 age cohort.

- Up to 14<sup>th</sup> November 2021, Ketton, Ryhall & Luffenham was the MSOA with the highest Covid-19 vaccination uptake for the over 18 age cohort with an uptake of 91.6%. This was followed by:
  - Ashby de la Zouch South; 91.0%
  - o Bottesford, Harby & Croxton Kerrial; 90.9%
  - o Waltham, Wymondham & Great Dalby; 90.8%
  - o Tilton, Billesdon & Great Easton; 90.3%
- Loughborough University was the MSOA with the lowest Covid-19 vaccination uptake for the over 18 age cohort with an uptake of 62.5%. This was followed by:
  - o Loughborough Storer & Queen's Park; 63.4%
  - Loughborough Lemyngton & Hastings; 66.7%
  - o Loughborough Shelthorpe & Woodthorpe; 75.2%
  - o Coalville; 77.5%




62.5%

91.6%

#### 11. Admissions with Covid-19 to UHL

- Up to 20<sup>th</sup> November, 3,865 admissions with Covid-19 have been made to UHL by Leicestershire residents since the start of the pandemic.
- Patients aged 60+ account for just under three-quarters (71%) of all admissions from Leicestershire residents.
- In week 46 (14<sup>th</sup> November 2021 to 20<sup>th</sup> November 2021), there were 31 admissions with Covid-19 made to UHL by Leicestershire residents; 10 (32%) of these admissions were patients aged 60+.



Note: Counts less than three have been suppressed.

#### 12. District Level Summary

- **Oadby & Wigston** continues to have the highest rate of Covid-19 cases and deaths in the county. The rate of cumulative cases is significantly higher in comparison to the England average.
- From the beginning of September to the 9<sup>th</sup> November, the weekly counts of cases had shown an increasing trend in Oadby and Wigston. Between the w/c 9<sup>th</sup> November and the w/c 28<sup>th</sup> December, the weekly counts of cases fluctuated. The weekly counts of cases then showed a declining trend until the third week of May. Between the third week of May and the 12<sup>th</sup> of July the weekly counts showed an increasing trend. Since then the weekly counts of cases have fluctuated in Oadby and Wigston.
- The weekly counts of cases have increased from 271 in w/c 8<sup>th</sup> November to 285 in w/c 15<sup>th</sup> November.
- The latest weekly count of deaths involving Covid-19 shows that four deaths occurred in Oadby & Wigston in week 45 of 2021; three deaths occurred in a hospital and one death occurred in a care home.
- North West Leicestershire has the fourth highest rate of Covid-19 cases and the second highest
  rate of deaths in the county. The rate of cumulative cases is significantly higher than the England
  average.
- From early September to the 9<sup>th</sup> November an increasing trend in the weekly counts of cases had been witnessed in North West Leicestershire. Following this, the weekly counts of cases decreased each week for four weeks. The weekly counts of cases then increased for three weeks, before showing a declining trend throughout January, February, March, April. Throughout May the count fluctuated, since then the count increased week on week until the w/c 12<sup>th</sup> July. The count of cases then decreased for 3 weeks before showing an increasing trend between the 2<sup>nd</sup> of August and the 20<sup>th</sup> September. Since then, the weekly counts of cases have decreased week on week with the exception of the last two weeks where the weekly counts of cases increased.
- The latest weekly counts of cases have increased from 331 in w/c 8<sup>th</sup> November to 378 in w/c 15<sup>th</sup> November.
- The latest weekly count of deaths shows three deaths involving Covid-19 occurred in North West Leicestershire in week 45 of 2021; all three deaths occurred in a hospital.
- **Blaby** has the second highest rate of Covid-19 cases in the county and the third highest rate of deaths. The rate of cumulative cases is significantly higher compared to the England average.
- From mid-September, the weekly counts of cases in Blaby had shown an increasing trend, with a peak around the 9<sup>th</sup> of November. From then, the weekly counts of cases have fluctuated, with the exception of the last three weeks of December and the first week of January where the weekly counts of cases increased each week. From early January to mid May, the weekly counts of cases had shown a declining trend. Since mid May, the weekly counts of cases have shown an increasing trend with the exception of the period between the 20<sup>th</sup> September and the 1<sup>st</sup> November where the weekly counts of cases showed a decreasing trend.
- The latest weekly counts of cases have decreased from 525 in w/c 8<sup>th</sup> November to 474 in w/c 15<sup>th</sup> November.
- The latest weeks data shows two deaths involving Covid-19 were recorded in Blaby in week 45 of 2021; one death occurred in a hospital and one death occurred in a care home.
- **Melton** has the lowest rate of Covid-19 cases and the fourth highest rate of deaths in the county. The rate of cumulative cases is significantly lower than the England average.
- From mid-September, the weekly counts of cases had been increasing week on week in Melton, showing a peak around the 9<sup>th</sup> of November. A second peak was witnessed around 28<sup>th</sup> of

December. Through January to the end of March weekly counts of cases had shown a declining trend, since then the weekly counts of cases in Melton had fluctuated until mid May. From mid May until w/c 12<sup>th</sup> July, the weekly count of cases increased week on week. The case count then decreased for 2 weeks before fluctuating over the past 16 weeks.

- The latest weekly count of cases have decreased from 303 in w/c 8<sup>th</sup> November to 289 in w/c 15<sup>th</sup> November.
- The latest weekly count of deaths involving Covid-19 shows that no deaths occurred in Melton in week 45 of 2021.
- **Hinckley & Bosworth** has the third lowest rate of Covid-19 cases and third lowest rate of deaths in the county. The rate of cumulative cases is not significantly different to the England average.
- From mid-September to the 9<sup>th</sup> of November, the weekly counts of cases had increased each week in Hinckley and Bosworth. The weekly counts of cases had fluctuated from November 9<sup>th</sup> to January 11<sup>th</sup>. From then until mid March the weekly counts of cases decreased, before fluctuating until late May. Since the end of May there has been an increasing trend in the weekly counts of cases, apart from over the last 17 weeks where the count of cases fluctuated.
- The latest weekly count of cases have decreased from 737 in w/c 8<sup>th</sup> November to 623 in w/c 15<sup>th</sup> November.
- The latest weeks data shows two deaths involving Covid-19 were recorded in Hinckley & Bosworth in week 45 of 2021; both deaths occurred in a hospital.
- **Charnwood** has the third highest rate of Covid-19 cases and the second lowest rate of deaths in the county. The rate of cumulative cases is significantly higher in comparison to the England average.
- The weekly counts of cases in Charnwood had shown an increasing trend from early September to mid-October, showing a peak around the 19<sup>th</sup> of October. Between the 19<sup>th</sup> of October and the 23<sup>rd</sup> November the weekly counts of cases showed a declining trend. Following this, the weekly counts of cases increased each week in Charnwood, peaking around December 28<sup>th</sup>. The rate then showed a declining trend until the 3<sup>rd</sup> of May, before showing an increasing trend for 10 weeks. Since the 19<sup>th</sup> of July the weekly count of cases have fluctuated.
- The latest weekly counts of cases have decreased from 1,181 in w/c 8<sup>th</sup> November to 1,014 in w/c 15<sup>th</sup> November.
- The latest weeks data shows four deaths involving Covid-19 were recorded in Charnwood in week 45 of 2021; three deaths occurred in a hospital and one death occurred in an 'other' setting.
- **Harborough** has the second lowest rate of Covid-19 cases and the lowest rate of deaths in the county. The rate of cumulative cases is significantly lower in comparison to the England average.
- From the beginning of September to the 9<sup>th</sup> November, the weekly counts of cases had shown an increasing trend in Harborough. Between the w/c 9<sup>th</sup> November and the w/c 7<sup>th</sup> December the weekly counts of cases showed a declining trend. Between then and December 28<sup>th</sup>, the weekly counts of cases had increased each week before showing a declining trend until the end of March. Throughout April and May the rate had fluctuated, before showing an increasing trend over the next seven weeks. Between the 19<sup>th</sup> of July and the 20<sup>th</sup> of September the weekly counts of cases showed an increasing trend. Since then, the weekly counts of cases have fluctuated.
- The latest weekly counts of cases have decreased from 492 in w/c 8<sup>th</sup> November to 485 in w/c 15<sup>th</sup> November.
- The latest weeks data on death occurrences shows that no deaths involving Covid-19 were recorded in Harborough in week 45 of 2021.



If you require information contained in this leaflet in another version e.g. large print, Braille, tape or alternative language please telephone: 0116 305 6803, Fax: 0116 305 7271 or Minicom: 0116 305 6160.

જો આપ આ માહિતી આપની ભાષામાં સમજવામાં થોડી મદદ ઇચ્છતાં હો તો 0116 305 6803 નંબર પર ફોન કરશો અને અમે આપને મદદ કરવા વ્યવસ્થા કરીશું.

ਜੇਕਰ ਤੁਹਾਨੂੰ ਇਸ ਜਾਣਕਾਰੀ ਨੂੰ ਸਮਝਣ ਵਿਚ ਕੁਝ ਮਦਦ ਚਾਹੀਦੀ ਹੈ ਤਾਂ ਕਿਰਪਾ ਕਰਕੇ 0116 305 6803 ਨੰਬਰ ਤੇ ਫ਼ੋਨ ਕਰੋ ਅਤੇ ਅਸੀਂ ਤੁਹਾਡੀ ਮਦਦ ਲਈ ਕਿਸੇ ਦਾ ਪ੍ਰਬੰਧ ਕਰ ਦਵਾਂਗੇ।

এই তথ্য নিজের ভাষায় বুঝার জন্য আপনার যদি কোন সাহায্যের প্রয়োজন হয়, তবে 0116 305 6803 এই নম্বরে ফোন করলে আমরা উপযুক্ত ব্যক্তির ব্যবস্থা করবো।

اگرآپ کو بیمعلو مات سجھنے میں کچھ مدو در کا رہے تو ہراہ مہریا نی اس نمبر پر کال کریں 0116 305 6803 اور ہم آپ کی مدو کے لئے کسی کا انظام کرویں گے۔

假如閣下需要幫助,用你的語言去明白這些資訊, 請致電 0116 305 6803,我們會安排有關人員為你 提供幫助。

Jeżeli potrzebujesz pomocy w zrozumieniu tej informacji w Twoim języku, zadzwoń pod numer 0116 305 6803, a my Ci dopomożemy.

Business Intelligence Service
Chief Executive's Department
Leicestershire County Council
County Hall
Glenfield
Leicester
LE3 8RA
ri@leics.gov.uk
www.lsr-online.org