

### **COVID-19:**

# **Data Update for Leicestershire**

Week 49 of 2021

21<sup>st</sup> December 2021

Business Intelligence Service Chief Executive's Department Leicestershire County Council County Hall, Glenfield Leicester LE3 8RA

 Tel
 0116 305 6059

 Email:
 kajal.lad@leics.gov.uk

Produced by the Business Intelligence Service at Leicestershire County Council.

Whilst every effort has been made to ensure the accuracy of the information contained within this report, Leicestershire County Council cannot be held responsible for any errors or omission relating to the data contained within the report.

#### What have we learnt from the newly released Covid-19 data?

A series of publicly available dashboards examining Covid-19 cases, deaths involving Covid-19 and a district summary are available at the below links. A summary narrative to support the data in these dashboards then follows.

- Deaths involving Covid-19
- Covid-19 Summary at District Level
- PHE Weekly Covid-19 Cases

### **1.** 14 deaths<sup>1</sup> involving Covid-19 were recorded in Leicestershire in the last week

- As of week 49 2021 (up to 10<sup>th</sup> December), there has been a total of 1,748 deaths in Leicestershire. The weekly count of deaths has increased from nine deaths in week 48 of 2021 to fourteen deaths in week 49 of 2021.
- Of all deaths involving Covid-19 in Leicestershire, 1,186 (67.8%) were in hospital and 423 (24.2%) were in a care home.
- In week 49 in Leicestershire, there were thirteen deaths in a hospital and one death in a care home.


<sup>1</sup> Death counts are based on death occurrences. The death is counted as involving Covid-19 if Covid-19 was mentioned on the death certificate. Please note, Covid-19 may not have been confirmed by a test. Source: <u>Office for National Statistics</u> (2021)

	Care Home		Elsewhere		Home		Hospice		Hospital		Total				Population
	Count	Rate	Count	Rate	Count	Rate	Count	Rate	Count	Rate	Count	Rate	LCI	UCI	ropulation
Blaby	49	48.1	7	6.9	14	13.7	1	1.0	190	186.4	261	256.0	225.9	289.0	101,950
Charnwood	106	56.3	8	4.2	21	11.1	6	3.2	271	143.8	412	218.7	198.1	240.8	188,416
Harborough	58	60.7	3	3.1	12	12.6	2	2.1	122	127.7	197	206.2	178.4	237.1	95,537
H&B	65	57.2	0	0.0	15	13.2	5	4.4	192	168.9	277	243.7	215.8	274.2	113,666
Melton	44	85.6	1	1.9	7	13.6	1	1.9	75	145.9	128	249.1	207.8	296.1	51,394
NWLeics	52	49.6	2	1.9	18	17.2	6	5.7	192	183.2	270	257.6	227.8	290.2	104,809
O&W	49	85.5	2	3.5	8	14.0	0	0.0	144	251.3	203	354.2	307.1	406.4	57,313
Leicestershire	423	59.3	23	3.2	95	13.3	21	2.9	1186	166.3	1748	245.1	233.8	256.9	713085
Rutland	33	81.5	0	0.0	6	14.8	2	4.9	39	96.4	80	197.6	156.7	246.0	40476
Leicester City	155	43.8	26	7.3	82	23.2	2	0.6	745	210.4	1010	285.3	268.0	303.4	354036
LLR	611	55.2	49	4.4	183	16.5	25	2.3	1970	177.9	2838	256.2	246.9	265.8	1107597

### Deaths (numbers) by local authority and place of death, for deaths that occurred up to 10<sup>th</sup> December but were registered up to 18<sup>th</sup> December.

#### 2. There were 12 excess deaths recorded in Leicestershire in the last week

- Counts of excess deaths in Leicestershire have fluctuated over the last 10 weeks. The number of all deaths seen has increased from week 48 2021 to week 49 2021. The latest figures from ONS show that 140 deaths occurred in Leicestershire in week 49 of 2021. There were 12 excess deaths reported in the last week.
- The latest weeks data shows that there were 14 deaths that mentioned Covid-19 on the death certificate in week 49.




# **3.** Two areas in Blaby, one area in Charnwood and one area in Oadby and Wigston has a significantly higher percentage of deaths involving Covid-19 than the national percentage

Note: There is no further update available for this data.

- The map below examines the statistical significance compared to England, of the percentage of deaths involving Covid-19 by Middle Layer Super Output Area (MSOA) in Leicestershire and Rutland. These deaths occurred between 1<sup>st</sup> March 2020 and 30<sup>th</sup> April 2021.
- Stoney Stanton, Sapcote & Sharnton in Blaby recorded 33 deaths involving Covid-19 in this time period, this represented 27.3% of all deaths. Kirby Muxloe and Thurlaston in Blaby recorded 31 deaths involving Covid-19 in this time period, this represented 26.7% of all deaths. Birstall Wanlip & Riverside in Charnwood recorded 30 deaths involving Covid-19 in this time period, this represented 24.6% of all deaths. Oadby North & East in Oadby and Wigston recorded 38 deaths involving Covid-19 which represented 23.6% of all deaths.
- Nationally, deaths involving Covid-19 made up under a fifth (17.1%) of all deaths.
- 12 MSOAs in Leicestershire and Rutland have a significantly lower percentage of deaths involving Covid-19 compared to England. These are:
  - o Market Bosworth, Barlestone & Sheepy Magna in Hinckley and Bosworth (11, 10.0%)
  - o Bottesfored, Harby & Croxton Kerrial in Melton (12, 9.9%)
  - Loughborough Outwoods in Charnwood (10, 9.6%)
  - Market Harborough Central in Harborough (10, 8.7%)
  - Broughton Astley in Harborough (8, 8.6%)
  - Thurcaston, Woodhouse & Bradgate in Charnwood (8, 8.3%)
  - Market Overton, Cottesmore & Empingham in Rutland (6, 8.3%)
  - Countesthorpe & Kilby in Blaby (6, 8.3%)
  - Thringstone & Swannington in North West Leicestershire (7, 7.8%)
  - Hinckley Clarendon Park in Hinckley and Bosworth (5, 7.7%)
  - Melton Mowbray South in Melton (7, 7.2%)
  - Fleckney, Kilworth & Foxton in Harborough (7, 5.7%)
- Further data examining deaths involving Covid-19 by local area is available in the dashboard available at <u>this link.</u>

Statistical Significance compared to England of the deaths involving Covid-19 by Middle Layer Super Output Area, Leicestershire and Rutland, deaths occurring between 1<sup>st</sup> March 2020 and 30<sup>th</sup> April 2021.




Statistical Significance compared to England

 Not significantly different
 Significantly higher
 Significantly lowe

#### 4. Weekly counts of cases have increased in the past week in Leicestershire

Note: Public Health England has updated the way cases are reported in England. Reported cases are sometimes removed if subsequent tests are negative. This happens when cases identified through a positive rapid lateral flow test are followed by polymerase chain reaction (PCR) tests within 3 days that are all negative. This means cases may be retroactively removed or changed and as such the data may fluctuate.


- As of 19<sup>th</sup> December, Leicestershire has recorded a total of 127,831 lab-confirmed cases of Covid-19. This data relates to pillar 1 and 2 cases.
- From January 11<sup>th</sup> to the beginning of May, cases had been decreasing. From then to mid July the cases increased before decreasing in w/c 19<sup>th</sup> July. Since then, the weekly counts of cases have shown an increasing trend, with the exception of the weeks between the 20<sup>th</sup> September and the 1<sup>st</sup> November where the weekly counts of cases showed a decreasing trend and the last 6 weeks where the weekly counts of cases fluctuated.
- The latest weekly data shows 5,285 cases have been confirmed in Leicestershire in the last week. This count has increased compared to the previous week where 4,107 cases were confirmed.



## 5. Charnwood has the highest weekly incidence rate of Covid-19 cases for people of all ages in the county


Note: Public Health England has updated the way cases are reported in England. Reported cases are sometimes removed if subsequent tests are negative. This happens when cases identified through a positive rapid lateral flow test are followed by polymerase chain reaction (PCR) tests within 3 days that are all negative. This means cases may be retroactively removed or changed and as such the data may fluctuate.

- The incidence rate for Covid-19 cases in Leicestershire had shown a declining trend between the beginning of January and the final week of April. The incidence rate in Leicestershire then fluctuated between the final week of April and the middle of May. The incidence rate then increased until the 16<sup>th</sup> of July. Since then, the incidence rate has fluctuated. The incidence rate in Leicestershire (688.0 per 100,000 population) is lower than the national rate (736.4 per 100,000 population) as of 12<sup>th</sup> December 2021.
- The latest weekly incidence rates of Covid-19 cases for people of all ages (as of 12<sup>th</sup> December) show that the following area rates in Leicestershire are higher than the national rate (736.4 per 100,000 population):
  - Charnwood; 854.0 per 100,000 (1,609 cases)
- The following area rates in Leicestershire are lower than the national rate (736.4 per 100,000 population):
  - Hinckley & Bosworth; 677.4 per 100,000 (770 cases)
  - North West Leicestershire; 640.2 per 100,000 (671 cases)
  - Harborough; 630.1 per 100,000 (602 cases)
  - Blaby; 625.8 per 100,000 (638 cases)
  - Oadby & Wigston; 584.5 per 100,000 (335 cases)
  - Melton; 546.8 per 100,000 (281 cases)
- Rutland has a lower incidence rate of Covid-19 cases (600.4 per 100,000) than England for people of all ages. This equates to 243 cases.




### 6. Charnwood has the highest weekly incidence rate of Covid-19 cases for people aged 17-21 in the county

- Between the 5<sup>th</sup> of January and the 5<sup>th</sup> of April the weekly incidence rate of Covid-19 for people aged 17-21 had been declining. From the 5<sup>th</sup> of April to the end of May the rate fluctuated. Since then the weekly incidence rate of Covid-19 for people aged 17-21 in Leicestershire has shown an increasing trend, with the exception of the period between the 14<sup>th</sup> of July and the 23<sup>rd</sup> of July and the 5<sup>th</sup> of August to the 5<sup>th</sup> of October where the incidence rate declined, and the 5<sup>th</sup> October to the 31<sup>st</sup> of October and the period between the 8<sup>th</sup> November and 4<sup>th</sup> December where the rate fluctuated.
- As of the 12<sup>th</sup> of December, the rate for Leicestershire (1350.5 per 100,000 population) is higher than the national rate for people aged 17-21 (954.8 per 100,000 population).
- The latest weekly incidence rates of Covid-19 cases for people aged 17-21 (as of 12<sup>th</sup> December) show that the following area rates in Leicestershire are higher than the national rate (954.8 per 100,000 population):
  - Charnwood; 1804.4 per 100,000 (315 cases)
  - Oadby & Wigston; 1150.3 per 100,000 (47 cases)
  - Melton; 1102.3 per 100,000 (25 cases)
  - Blaby; 1079.3 per 100,000 (49 cases)
  - Harborough; 1055.1 per 100,000 (45 cases)
  - Hinckley & Bosworth; 963.8 per 100,000 (49 cases)
- The following area rates in Leicestershire are lower than the national rate (954.8 per 100,000 population):
  - North West Leicestershire; 929.3 per 100,000 (46 cases)
- Rutland has a lower incidence rate of Covid-19 cases (706.7 per 100,000) than England for people aged 17-21. This equates to 12 cases.




## 7. Harborough has the highest weekly incidence rate of Covid-19 cases for people aged 60+ in the county

- The incidence rate for Covid-19 cases in people aged 60+ in Leicestershire showed a declining trend between the beginning of January and the middle of May, with the exception of the first two weeks of April where the rate showed an increasing trend. From the middle of May to the first week of June the rate showed an increasing trend, before fluctuating for two weeks. Since then the rate has shown an increasing trend, with the exception of the period between the 18<sup>th</sup> of July and the 30<sup>th</sup> of July and the 5<sup>th</sup> of September and the 3<sup>rd</sup> of October where the incidence rate fluctuated and since the 26<sup>th</sup> of October where the rate has shown a decreasing trend. The rate for Leicestershire (146.7 per 100,000 population) is lower than the national rate (160.1 per 100,000 population) as of 12<sup>th</sup> December.
- The latest weekly incidence rates of Covid-19 cases for people aged 60+ (as of 12<sup>th</sup> December) show that the following area rates in Leicestershire are higher than the national rate (160.1 per 100,000 population):
  - Harborough; 191.5 per 100,000 (52 cases)
  - Blaby; 171.2 per 100,000 (46 cases)
- The following area rates in Leicestershire are lower than the national rate (160.1 per 100,000 population):
  - Hinckley & Bosworth; 145.3 per 100,000 (47 cases)
  - Charnwood; 141.9 per 100,000 (63 cases)
  - North West Leicestershire; 123.7 per 100,000 (34 cases)
  - Oadby & Wigston; 120.9 per 100,000 (19 cases)
  - Melton; 109.1 per 100,000 (17 cases)
- Rutland has a higher incidence rate of Covid-19 cases (161.2 per 100,000) than England for people aged 60+. This equates to 21 cases.




#### 8. Leicestershire has seen an increase in the weekly rate of Covid-19 cases

- There has been an increase in the weekly rate of Covid-19 cases in Leicestershire from 562.8 (per 100,000 population) in week 48 of 2021 to 564.0 (per 100,000 population) in week 49 of 2021.
- As of week 49 (6<sup>th</sup> December to 12<sup>th</sup> December 2021), Leicestershire is ranked 59<sup>th</sup> (highest) out of 149 upper tier local authorities and ranked 7<sup>th</sup> (highest) out of its CIPFA similar areas.



### 9. The MSOA with the highest count of Covid-19 cases in the last week was Loughborough - University in Charnwood


- Up to 14<sup>th</sup> December (week 49 of 2021), the Middle Super Output Area (MSOA) with the highest count of confirmed cases of Covid-19 was Loughborough University with 166 reported cases.
- This was followed by:
  - Mountsorrel & Rothley (144)
  - Loughbroough Outwoods (107)
  - Loughborough Storer & Queen's Park (100)
  - Market Harborough West, Great Bowden & Lubenham (95)
  - Hugglescote & Bardon Hill (92)
  - Bottesford, Harby & Croxton Kerrial (85)
  - Loughborough Lemyngton & Hastings (84)
  - Enderby & Glen Parva (83)
  - Burbage Sketchley & Stretton (79); Loughborough Shelthorpe & Woodthorpe (79)
  - Market Harborough South & Little Bowden (76)
  - Hinckley West (75); Kibworth & Great Glen (75)
  - Earl Shilton (73)
  - Shepshed West (71)
  - Thurmaston (70)
- All other areas recorded less than 70 cases in the last week.
- Areas that recorded between zero and two cases in the last week have been suppressed due to data disclosure and are represented as white in the map below.




#### 10. Covid-19 Vaccination Uptake Summary

The following tables show a summary of Covid-19 vaccination uptake by Local Authority and District with a breakdown for the over 18 age cohort.

• Up to 12<sup>th</sup> December 2021, the Covid-19 dose 1 vaccination uptake for the over 18 age cohort was 88.3% in Leicestershire and 91.8% in Rutland. The Covid-19 dose 2 vaccination uptake for the over 18 age cohort in Leicestershire was 85.6%, whilst the dose 2 uptake in Rutland was 89.0%.




Most districts (apart from Charnwood) have a Covid-19 dose 1 vaccination uptake for the over 18 age cohort of at least 85%, with Harborough having the highest uptake with 91.2% and Charnwood having the lowest with 84.9%. With the exception of Charnwood and Oadby and Wigston, all districts have a Covid-19 dose 2 vaccination uptake for the over 18 age cohort of at least 85%, with Harborough having the highest uptake with 89.1% and Charnwood having the lowest with 81.8%.



The following map shows a summary of Covid-19 vaccination uptake (dose 1) in Leicestershire and Rutland by Middle Super Output Area (MSOA) for the over 18 age cohort.

- Up to 12<sup>th</sup> December 2021, Ashby de la Zouch South was the MSOA with the highest Covid-19 vaccination uptake for the over 18 age cohort with an uptake of 94.4%. This was followed by:
  - Ketton, Ryhall & Luffenham; 94.0%
  - Bottesford, Harby & Croxton Kerrial; 93.3%
  - Ashby de la Zouch North; 93.3%
  - Waltham, Wymondham & Great Dalby; 93.3%
- Loughborough University was the MSOA with the lowest Covid-19 vaccination uptake for the over 18 age cohort with an uptake of 67.8%. This was followed by:
  - Loughborough Storer & Queen's Park; 69.2%
  - Loughborough Lemyngton & Hastings; 72.5%
  - Loughborough Shelthorpe & Woodthorpe; 79.6%



67.8%

o Coalville; 82.2%

The following map shows a summary of Covid-19 vaccination uptake (dose 2) in Leicestershire and Rutland by Middle Super Output Area (MSOA) for the over 18 age cohort.

- Up to 12<sup>th</sup> December 2021, Ashby de la Zouch South was the MSOA with the highest Covid-19 vaccination uptake for the over 18 age cohort with an uptake of 92.2%. This was followed by:
  - Ketton, Ryhall & Luffenham; 92.1%
  - Bottesford, Harby & Croxton Kerrial; 91.6 %
  - Waltham, Wymondham & Great Dalby; 91.4%
  - o Tilton, Billesdon & Great Easton; 91.1%
- Loughborough University was the MSOA with the lowest Covid-19 vaccination uptake for the over 18 age cohort with an uptake of 63.4%. This was followed by:
  - Loughborough Storer & Queen's Park; 64.4%
  - Loughborough Lemyngton & Hastings; 67.3%
  - Loughborough Shelthorpe & Woodthorpe; 76.0%
  - Coalville; 78.3%




Percentage vaccinated

92.2%

63.4%

#### 11. Admissions with Covid-19 to UHL

- Up to 18<sup>th</sup> December, 4,037 admissions with Covid-19 have been made to UHL by Leicestershire residents since the start of the pandemic.
- Patients aged 60+ account for just under three-quarters (71%) of all admissions from Leicestershire residents.
- In week 50 (12<sup>th</sup> December 2021 to 18<sup>th</sup> December 2021), there were 38 admissions with Covid-19 made to UHL by Leicestershire residents; 20 (53%) of these admissions were patients aged 60+.



Note: Counts less than three have been suppressed.

#### **12. District Level Summary**

- **Oadby & Wigston** continues to have the highest rate of Covid-19 cases and deaths in the county. The rate of cumulative cases is significantly higher in comparison to the England average.
- From the beginning of September to the 9<sup>th</sup> November, the weekly counts of cases had shown an increasing trend in Oadby and Wigston. Between the w/c 9<sup>th</sup> November and the w/c 28<sup>th</sup> December, the weekly counts of cases fluctuated. The weekly counts of cases then showed a declining trend until the third week of May. Between the third week of May and the 12<sup>th</sup> of July the weekly counts showed an increasing trend. Since then the weekly counts of cases have fluctuated in Oadby and Wigston.
- The weekly counts of cases have increased from 276 in w/c 6<sup>th</sup> December to 390 in w/c 13<sup>th</sup> December.
- The latest weekly count of deaths involving Covid-19 shows that no deaths occurred in Oadby & Wigston in week 49 of 2021.
- North West Leicestershire has the third lowest rate of Covid-19 cases and the second highest rate of deaths in the county. The rate of cumulative cases is not significantly different to the England average.
- From early September to the 9<sup>th</sup> November an increasing trend in the weekly counts of cases had been witnessed in North West Leicestershire. Following this, the weekly counts of cases decreased each week for four weeks. The weekly counts of cases then increased for three weeks, before showing a declining trend throughout January, February, March and April. Throughout May the count fluctuated, since then the count increased week on week until the w/c 12<sup>th</sup> July. The count of cases then decreased for 3 weeks before showing an increasing trend between the 2<sup>nd</sup> of August and the 20<sup>th</sup> September. Since then, the weekly counts of cases have decreased week on week with the exception of the last six weeks where an increasing trend was witnessed.
- The latest weekly counts of cases have increased from 615 in w/c 6<sup>th</sup> December to 649 in w/c 13<sup>th</sup> December.
- The latest weekly count of deaths shows three deaths involving Covid-19 occurred in North West Leicestershire in week 49 of 2021; two deaths occurred in a hospital and one death occurred in a care home.
- **Blaby** has the second highest rate of Covid-19 cases in the county and the third highest rate of deaths. The rate of cumulative cases is significantly higher compared to the England average.
- From mid-September, the weekly counts of cases in Blaby had shown an increasing trend, with a peak around the 9<sup>th</sup> of November. From then, the weekly counts of cases have fluctuated, with the exception of the last three weeks of December and the first week of January where the weekly counts of cases increased each week. From early January to mid May, the weekly counts of cases had shown a declining trend. Between mid May and the 20<sup>th</sup> of September, the weekly counts of cases showed increasing trend. Between the 20<sup>th</sup> September and the 1<sup>st</sup> November the weekly counts of cases fluctuated in Blaby. Since then, the weekly counts of cases have shown an increasing trend.
- The latest weekly counts of cases have increased from 583 in w/c 6<sup>th</sup> December to 727 in w/c 13<sup>th</sup> December.
- The latest weeks data shows that two deaths involving Covid-19 were recorded in Blaby in week 49 of 2021; both deaths occurred in a hospital.
- **Melton** has the lowest rate of Covid-19 cases and the fourth highest rate of deaths in the county. The rate of cumulative cases is significantly lower than the England average.

- From mid-September, the weekly counts of cases had been increasing week on week in Melton, showing a peak around the 9<sup>th</sup> of November. A second peak was witnessed around 28<sup>th</sup> of December. Through January to the end of March weekly counts of cases had shown a declining trend, since then the weekly counts of cases in Melton had fluctuated until mid May. From mid May until w/c 12<sup>th</sup> July, the weekly count of cases increased week on week. The case count then decreased for 2 weeks before fluctuating over the past 20 weeks.
- The latest weekly count of cases have increased from 262 in w/c 6<sup>th</sup> December to 291 in w/c 13<sup>th</sup> December.
- The latest weekly count of deaths involving Covid-19 shows that one death occurred in Melton in week 49 of 2021; this death occurred in a hospital.
- **Hinckley & Bosworth** has the fourth highest rate of Covid-19 cases and third lowest rate of deaths in the county. The rate of cumulative cases is significantly higher than the England average.
- From mid-September to the 9<sup>th</sup> of November, the weekly counts of cases had increased each week in Hinckley and Bosworth. The weekly counts of cases had fluctuated from November 9<sup>th</sup> to January 11<sup>th</sup>. From then until mid March the weekly counts of cases decreased, before fluctuating until late May. Between the end of May and the 12<sup>th</sup> July there was an increasing trend in the weekly counts of cases. Since then the count of cases has fluctuated, with the exception of the last three weeks where Hinckley & Bosworth has witnessed an increase in the weekly count of cases.
- The latest weekly count of cases have increased from 671 in w/c 6<sup>th</sup> December to 802 in w/c 13<sup>th</sup> December.
- The latest weeks data shows six deaths involving Covid-19 were recorded in Hinckley & Bosworth in week 49 of 2021; all six deaths occurred in a hospital.
- **Charnwood** has the third highest rate of Covid-19 cases and the second lowest rate of deaths in the county. The rate of cumulative cases is significantly higher in comparison to the England average.
- The weekly counts of cases in Charnwood had shown an increasing trend from early September to mid-October, showing a peak around the 19<sup>th</sup> of October. Between the 19<sup>th</sup> of October and the 23<sup>rd</sup> November the weekly counts of cases showed a declining trend. Following this, the weekly counts of cases increased each week in Charnwood, peaking around December 28<sup>th</sup>. The rate then showed a declining trend until the 3<sup>rd</sup> of May, before showing an increasing trend for 10 weeks. Between the 19<sup>th</sup> of July and the 8<sup>th</sup> November the weekly count of cases had fluctuated. Since then, the weekly count of cases decreased for three weeks before increasing for two weeks.
- The latest weekly counts of cases have increased from 1,124 in w/c 6<sup>th</sup> December to 1,754 in w/c 13<sup>th</sup> December.
- The latest weeks data shows one death involving Covid-19 was recorded in Charnwood in week 49 of 2021; this death occurred in a hospital.
- **Harborough** has the second lowest rate of Covid-19 cases and the lowest rate of deaths in the county. The rate of cumulative cases is not significantly different to the England average.
- From the beginning of September to the 9<sup>th</sup> November, the weekly counts of cases had shown an increasing trend in Harborough. Between the w/c 9<sup>th</sup> November and the w/c 7<sup>th</sup> December the weekly counts of cases showed a declining trend. Between then and December 28<sup>th</sup>, the weekly counts of cases had increased each week before showing a declining trend until the end of March. Throughout April and May the rate had fluctuated, before showing an increasing trend over the next seven weeks. Between the 19<sup>th</sup> of July and the 20<sup>th</sup> of September the weekly

counts of cases showed an increasing trend. Since then, the weekly counts of cases have fluctuated.

- The latest weekly counts of cases have increased from 576 in w/c 6<sup>th</sup> December to 672 in w/c 13<sup>th</sup> December.
- The latest weeks data on death occurrences shows that one death involving Covid-19 was recorded in Harborough in week 49 of 2021; this death occurred in a hospital.



If you require information contained in this leaflet in another version e.g. large print, Braille, tape or alternative language please telephone: 0116 305 6803, Fax: 0116 305 7271 or Minicom: 0116 305 6160.

જો આપ આ માહિતી આપની ભાષામાં સમજવામાં થોડી મદદ ઇચ્છતાં હો તો 0116 305 6803 નંબર પર ફોન કરશો અને અમે આપને મદદ કરવા વ્યવસ્થા કરીશું.

ਜੇਕਰ ਤੁਹਾਨੂੰ ਇਸ ਜਾਣਕਾਰੀ ਨੂੰ ਸਮਝਣ ਵਿਚ ਕੁਝ ਮਦਦ ਚਾਹੀਦੀ ਹੈ ਤਾਂ ਕਿਰਪਾ ਕਰਕੇ 0116 305 6803 ਨੰਬਰ ਤੇ ਫ਼ੋਨ ਕਰੋ ਅਤੇ ਅਸੀਂ ਤੁਹਾਡੀ ਮਦਦ ਲਈ ਕਿਸੇ ਦਾ ਪ੍ਰਬੰਧ ਕਰ ਦਵਾਂਗੇ।

এই তথ্য নিজের ভাষায় বুঝার জন্য আপনার যদি কোন সাহায্যের প্রয়োজন হয়, তবে 0116 305 6803 এই নম্বরে ফোন করলে আমরা উপযুক্ত ব্যক্তির ব্যবস্থা করবো।

اگر آپ کو بیہ معلومات سبحھنے میں کچھ مد د درکا رہے تو براہ مہر بانی اس نمبر پر کال کریں 0116 305 6803 اور ہم آپ کی مدد کے لئے کسی کا انتظام کر دیں گے۔

假如閣下需要幫助,用你的語言去明白這些資訊, 請致電 0116 305 6803,我們會安排有關人員為你 提供幫助。

Jeżeli potrzebujesz pomocy w zrozumieniu tej informacji w Twoim języku, zadzwoń pod numer 0116 305 6803, a my Ci dopomożemy.

Business Intelligence Service Chief Executive's Department Leicestershire County Council County Hall Glenfield Leicester LE3 8RA <u>ri@leics.gov.uk</u> www.lsr-online.org