

COVID-19:

Data Update for Leicestershire

Week 1 of 2022

18th January 2022

Business Intelligence Service
Chief Executive's Department
Leicestershire County Council
County Hall, Glenfield
Leicester LE3 8RA

Tel 0116 305 6059
Email: kajal.lad@leics.gov.uk

Produced by the Business Intelligence Service at Leicestershire County Council.

Whilst every effort has been made to ensure the accuracy of the information contained within this report, Leicestershire County Council cannot be held responsible for any errors or omission relating to the data contained within the report.

What have we learnt from the newly released Covid-19 data?

A series of publicly available dashboards examining Covid-19 cases, deaths involving Covid-19 and a district summary are available at the below links. A summary narrative to support the data in these dashboards then follows.

- [Deaths involving Covid-19](#)
- [Covid-19 Summary at District Level](#)
- [PHE Weekly Covid-19 Cases](#)

1. Nine deaths¹ involving Covid-19 were recorded in Leicestershire in the last week

- As of week 1 2022 (up to 7th January), there has been a total of 1,787 deaths in Leicestershire. The weekly count of deaths has increased from five deaths in week 52 of 2021 to nine deaths in week 1 of 2022.
- Of all deaths involving Covid-19 in Leicestershire, 1,218 (68.2%) were in hospital and 428 (24.0%) were in a care home.
- In week 1 in Leicestershire, there were five deaths in a hospital and four deaths in a care home.


¹ Death counts are based on death occurrences. The death is counted as involving Covid-19 if Covid-19 was mentioned on the death certificate. Please note, Covid-19 may not have been confirmed by a test. Source: [Office for National Statistics](#) (2021)

Deaths (numbers) by local authority and place of death, for deaths that occurred up to 7th January 2022 but were registered up to 15th January 2022.

	Care Home		Elsewhere		Home		Hospice		Hospital		Total				Population
	Count	Rate	Count	Rate	Count	Rate	Count	Rate	Count	Rate	Count	Rate	LCI	UCI	
Blaby	50	49.0	7	6.9	14	13.7	1	1.0	193	189.3	265	259.9	229.6	293.2	101,950
Charnwood	107	56.8	8	4.2	21	11.1	6	3.2	277	147.0	419	222.4	201.6	244.7	188,416
Harborough	58	60.7	3	3.1	12	12.6	2	2.1	127	132.9	202	211.4	183.3	242.7	95,537
H&B	65	57.2	0	0.0	15	13.2	5	4.4	200	176.0	285	250.7	222.5	281.6	113,666
Melton	45	87.6	1	1.9	8	15.6	1	1.9	78	151.8	133	258.8	216.7	306.7	51,394
NWLeics	54	51.5	2	1.9	19	18.1	6	5.7	195	186.1	276	263.3	233.2	296.3	104,809
O&W	49	85.5	2	3.5	8	14.0	0	0.0	148	258.2	207	361.2	313.6	413.9	57,313
Leicestershire	428	60.0	23	3.2	97	13.6	21	2.9	1218	170.8	1787	250.6	239.1	262.5	713085
Rutland	33	81.5	0	0.0	7	17.3	2	4.9	41	101.3	83	205.1	163.3	254.2	40476
Leicester City	157	44.3	26	7.3	87	24.6	2	0.6	761	214.9	1033	291.8	274.3	310.1	354036
LLR	618	55.8	49	4.4	191	17.2	25	2.3	2020	182.4	2903	262.1	252.7	271.8	1107597

2. There were no excess deaths recorded in Leicestershire in the last week

- Counts of excess deaths in Leicestershire have fluctuated over the last 10 weeks. The number of all deaths seen has increased from week 52 2021 to week 1 2022. The latest figures from ONS show that 142 deaths occurred in Leicestershire in week 1 of 2022. There were no excess deaths reported in the last week.
- The latest weeks data shows that there were nine deaths that mentioned Covid-19 on the death certificate in week 1.




3. Two areas in Blaby, one area in Charnwood and one area in Oadby and Wigston has a significantly higher percentage of deaths involving Covid-19 than the national percentage

Note: There is no further update available for this data.

- The map below examines the statistical significance compared to England, of the percentage of deaths involving Covid-19 by Middle Layer Super Output Area (MSOA) in Leicestershire and Rutland. These deaths occurred between 1st March 2020 and 30th April 2021.
- Stoney Stanton, Sapcote & Sharnton in Blaby recorded 33 deaths involving Covid-19 in this time period, this represented 27.3% of all deaths. Kirby Muxloe and Thurlaston in Blaby recorded 31 deaths involving Covid-19 in this time period, this represented 26.7% of all deaths. Birstall Wanlip & Riverside in Charnwood recorded 30 deaths involving Covid-19 in this time period, this represented 24.6% of all deaths. Oadby North & East in Oadby and Wigston recorded 38 deaths involving Covid-19 which represented 23.6% of all deaths.
- Nationally, deaths involving Covid-19 made up under a fifth (17.1%) of all deaths.
- 12 MSOAs in Leicestershire and Rutland have a significantly lower percentage of deaths involving Covid-19 compared to England. These are:
 - Market Bosworth, Barlestone & Sheepy Magna in Hinckley and Bosworth (11, 10.0%)
 - Bottesford, Harby & Croxton Kerrial in Melton (12, 9.9%)
 - Loughborough – Outwoods in Charnwood (10, 9.6%)
 - Market Harborough Central in Harborough (10, 8.7%)
 - Broughton Astley in Harborough (8, 8.6%)
 - Thurcaston, Woodhouse & Bradgate in Charnwood (8, 8.3%)
 - Market Overton, Cottesmore & Empingham in Rutland (6, 8.3%)
 - Countesthorpe & Kilby in Blaby (6, 8.3%)
 - Thringstone & Swannington in North West Leicestershire (7, 7.8%)
 - Hinckley Clarendon Park in Hinckley and Bosworth (5, 7.7%)
 - Melton Mowbray South in Melton (7, 7.2%)
 - Fleckney, Kilworth & Foxton in Harborough (7, 5.7%)
- Further data examining deaths involving Covid-19 by local area is available in the dashboard available at [this link](#).


Statistical Significance compared to England of the deaths involving Covid-19 by Middle Layer Super Output Area, Leicestershire and Rutland, deaths occurring between 1st March 2020 and 30th April 2021.



4. Weekly counts of cases have decreased in the past week in Leicestershire

Note: Public Health England has updated the way cases are reported in England. Reported cases are sometimes removed if subsequent tests are negative. This happens when cases identified through a positive rapid lateral flow test are followed by polymerase chain reaction (PCR) tests within 3 days that are all negative. This means cases may be retroactively removed or changed and as such the data may fluctuate.


- As of 16th January, Leicestershire has recorded a total of 169,824 lab-confirmed cases of Covid-19. This data relates to pillar 1 and 2 cases.
- From January 11th to the beginning of May, cases had been decreasing. From then to mid July the cases increased before decreasing in w/c 19th July. Between then and the w/c 27th December the weekly counts of cases showed an increasing trend, with the exception of the weeks between the 20th September and the 1st November where the weekly counts of cases showed a decreasing trend. Since the w/c 27th December, the weekly counts of cases have decreased week on week.
- The latest weekly data shows 6,498 cases have been confirmed in Leicestershire in the last week. This count has decreased compared to the previous week where 11,644 cases were confirmed.



5. Oadby and Wigston has the highest weekly incidence rate of Covid-19 cases for people of all ages in the county


Note: Public Health England has updated the way cases are reported in England. Reported cases are sometimes removed if subsequent tests are negative. This happens when cases identified through a positive rapid lateral flow test are followed by polymerase chain reaction (PCR) tests within 3 days that are all negative. This means cases may be retroactively removed or changed and as such the data may fluctuate.

- The incidence rate for Covid-19 cases in Leicestershire had shown a declining trend between the beginning of January and the final week of April. The incidence rate in Leicestershire then fluctuated between the final week of April and the middle of May. The incidence rate then increased until the 16th of July. Between then and the end of October, the incidence rate fluctuated before showing an increasing trend until the 1st January 2022. Since then, the incidence rate in Leicestershire has shown a decreasing trend. The incidence rate in Leicestershire (1126.4 per 100,000 population) is lower than the national rate (1128.9 per 100,000 population) as of 9th January 2022.
- The latest weekly incidence rates of Covid-19 cases for people of all ages (as of 9th January) show that the following area rates in Leicestershire are higher than the national rate (1128.9 per 100,000 population):
 - Oadby & Wigston; 1209.1 per 100,000 (693 cases)
 - Hinckley & Bosworth; 1200.9 per 100,000 (1365 cases)
 - North West Leicestershire; 1133.5 per 100,000 (1188 cases)
- The following area rates in Leicestershire are lower than the national rate (1128.9 per 100,000 population):
 - Charnwood; 1125.2 per 100,000 (2120 cases)
 - Blaby; 1121.1 per 100,000 (1143 cases)
 - Harborough; 1072.9 per 100,000 (1025 cases)
 - Melton; 969.0 per 100,000 (498 cases)
- Rutland has a lower incidence rate of Covid-19 cases (906.7 per 100,000) than England for people of all ages. This equates to 367 cases.




6. North West Leicestershire has the highest weekly incidence rate of Covid-19 cases for people aged 17-21 in the county

- Between the 5th of January and the 5th of April the weekly incidence rate of Covid-19 for people aged 17-21 had been declining. From the 5th of April to the end of May the rate fluctuated. Between then and the 1st January 2022, the weekly incidence rate of Covid-19 for people aged 17-21 in Leicestershire has shown an increasing trend, with the exception of the period between the 14th of July and the 23rd of July and the 5th of August to the 5th of October where the incidence rate declined, and the 5th October to the 31st of October and the 8th November to the 4th December where the rate fluctuated. Since the 1st January 2022, the incidence rate has shown a decreasing trend.
- As of the 9th January, the rate for Leicestershire (1242.7 per 100,000 population) is lower than the national rate for people aged 17-21 (1401.7 per 100,000 population).
- The latest weekly incidence rates of Covid-19 cases for people aged 17-21 (as of 9th January) show that the following area rates in Leicestershire are higher than the national rate (1401.7 per 100,000 population):
 - North West Leicestershire; 1757.6 per 100,000 (87 cases)
 - Melton; 1631.4 per 100,000 (37 cases)
 - Hinckley & Bosworth; 1573.6 per 100,000 (80 cases)
 - Harborough; 1524.0 per 100,000 (65 cases)
- The following area rates in Leicestershire are lower than the national rate (1401.7 per 100,000 population):
 - Oadby & Wigston; 1272.6 per 100,000 (52 cases)
 - Blaby; 1233.5 per 100,000 (56 cases)
 - Charnwood; 876.4 per 100,000 (153 cases)
- Rutland has a higher incidence rate of Covid-19 cases (1884.6 per 100,000) than England for people aged 17-21. This equates to 32 cases.




7. Oadby and Wigston has the highest weekly incidence rate of Covid-19 cases for people aged 60+ in the county

- The incidence rate for Covid-19 cases in people aged 60+ in Leicestershire showed a declining trend between the beginning of January and the middle of May, with the exception of the first two weeks of April where the rate showed an increasing trend. From the middle of May to the first week of June the rate showed an increasing trend, before fluctuating for two weeks. Between then and the 1st January 2022, the rate has shown an increasing trend, with the exception of the period between the 18th of July and the 30th of July and the 5th of September to the 3rd of October where the incidence rate fluctuated and between the 26th of October and the 9th of December where the rate showed a decreasing trend. Since the 1st January 2022, the incidence rate has shown a decreasing trend. The rate for Leicestershire (597.7 per 100,000 population) is higher than the national rate (583.9 per 100,000 population) as of 9th January.
- The latest weekly incidence rates of Covid-19 cases for people aged 60+ (as of 9th January) show that the following area rates in Leicestershire are higher than the national rate (583.9 per 100,000 population):
 - Oadby & Wigston; 693.4 per 100,000 (109 cases)
 - Hinckley & Bosworth; 658.6 per 100,000 (213 cases)
 - Harborough; 607.8 per 100,000 (165 cases)
 - Charnwood; 605.8 per 100,000 (269 cases)
- The following area rates in Leicestershire are lower than the national rate (583.9 per 100,000 population):
 - Blaby; 569.3 per 100,000 (153 cases)
 - North West Leicestershire; 531.3 per 100,000 (146 cases)
 - Melton; 500.4 per 100,000 (78 cases)
- Rutland has a lower incidence rate of Covid-19 cases (460.7 per 100,000) than England for people aged 60+. This equates to 60 cases.



8. Leicestershire has seen a decrease in the weekly rate of Covid-19 cases

- There has been a decrease in the weekly rate of Covid-19 cases in Leicestershire from 1956.8 (per 100,000 population) in week 52 of 2021 to 1602.5 (per 100,000 population) in week 1 of 2022.
- As of week 1 (3rd January to 9th January 2022), Leicestershire is ranked 68th (highest) out of 149 upper tier local authorities and ranked 3rd (highest) out of its CIPFA similar areas.




9. The MSOA with the highest count of Covid-19 cases in the last week was Ibstock & Ellistown in North West Leicestershire

- Up to 11th January 2022 (week 1 of 2022), the Middle Super Output Area (MSOA) with the highest count of confirmed cases of Covid-19 was Ibstock & Ellistown with 186 reported cases.
- This was followed by:
 - Earl Shilton (181); Oadby North & East (181)
 - Loughborough Lemyngton & Hastings (172)
 - Enderby & Glen Parva (169)
 - Barwell (163)
 - Kibworth & Great Glen (160)
 - Thurmaston (159)
 - Mountsorrel & Rothley (151)
 - Lutterworth (150)
- All other areas recorded less than 150 cases in the last week.
- Areas that recorded between zero and two cases in the last week have been suppressed due to data disclosure and are represented as white in the map below.

Weekly Counts of Lab-confirmed Covid-19 cases by Middle Layer Super Output Area, Leicester, Leicestershire and Rutland




Date as number: 11/01/2022
 Local Authority: Leicestershire




10. Covid-19 Vaccination Uptake Summary

The following tables show a summary of Covid-19 vaccination uptake by Local Authority and District with a breakdown for the over 18 age cohort.

- Up to 9th January 2022, the Covid-19 dose 1 vaccination uptake for the over 18 age cohort was 88.7% in Leicestershire and 92.2% in Rutland. The Covid-19 dose 2 vaccination uptake for the over 18 age cohort in Leicestershire was 86.3%, whilst the dose 2 uptake in Rutland was 89.8%. The Covid-19 booster or 3rd dose vaccination uptake for the over 18 age cohort in Leicestershire was 70.0% in Leicestershire and 74.8% in Rutland.




- All districts have a Covid-19 dose 1 vaccination uptake for the over 18 age cohort of at least 85%, with Harborough having the highest uptake with 91.6% and Charnwood having the lowest with 85.5%. With the exception of Charnwood and Oadby and Wigston, all districts have a Covid-19 dose 2 vaccination uptake for the over 18 age cohort of at least 85%, with Harborough having the highest uptake with 89.7% and Charnwood having the lowest with 82.5%. Harborough is the Leicestershire district with the highest vaccination uptake for the booster or 3rd dose with 76.8%, whilst Charnwood has the lowest booster or 3rd dose vaccination uptake with 64.6%.




The following map shows a summary of Covid-19 vaccination uptake (dose 1) in Leicestershire and Rutland by Middle Super Output Area (MSOA) for the over 18 age cohort.

- Up to 9th January 2022, Ashby de la Zouch South was the MSOA with the highest Covid-19 vaccination uptake for the over 18 age cohort with an uptake of 94.9%. This was followed by:
 - Ketton, Ryhall & Luffenham; 94.3%
 - Ashby de la Zouch North; 93.7%
 - Bottesford, Harby & Croxton Kerrial; 93.7%
 - Waltham, Wymondham & Great Dalby; 93.6%
- Loughborough - University was the MSOA with the lowest Covid-19 vaccination uptake for the over 18 age cohort with an uptake of 68.9%. This was followed by:
 - Loughborough Storer & Queen's Park; 70.7%
 - Loughborough Lemyngton & Hastings; 73.7%
 - Loughborough – Shelthorpe & Woodthorpe; 80.6%
 - Coalville; 83.0%




The following map shows a summary of Covid-19 vaccination uptake (dose 2) in Leicestershire and Rutland by Middle Super Output Area (MSOA) for the over 18 age cohort.

- Up to 9th January 2022, Ashby de la Zouch South was the MSOA with the highest Covid-19 vaccination uptake for the over 18 age cohort with an uptake of 93.0%. This was followed by:
 - Ketton, Ryhall & Luffenham; 92.5%
 - Bottesford, Harby & Croxton Kerrial; 92.2%
 - Waltham, Wymondham & Great Dalby; 92.0%
 - Ashby de la Zouch North; 91.8%
- Loughborough – University was the MSOA with the lowest Covid-19 vaccination uptake for the over 18 age cohort with an uptake of 64.3%. This was followed by:
 - Loughborough Storer & Queen's Park; 65.3%
 - Loughborough Lemyngton & Hastings; 68.4%
 - Loughborough – Shelthorpe & Woodthorpe; 76.8%
 - Coalville; 79.4%




The following map shows a summary of Covid-19 vaccination uptake (booster or 3rd dose) in Leicestershire and Rutland by Middle Super Output Area (MSOA) for the over 18 age cohort.

- Up to 9th January 2022, Bottesford, Harby & Croxton Kerrial was the MSOA with the highest Covid-19 vaccination uptake for the over 18 age cohort with an uptake of 81.1%. This was followed by:
 - Ashby de la Zouch South; 80.4%
 - Ketton, Ryhall & Luffenham; 80.1%
 - Tilton, Billesdon & Great Easton; 79.8%
 - Waltham, Wymondham & Great Dalby; 79.4%
 - Fleckney, Kilworth & Foxton; 79.4%
- Loughborough – University was the MSOA with the lowest Covid-19 vaccination uptake for the over 18 age cohort with an uptake of 41.4%. This was followed by:
 - Loughborough Storer & Queen's Park; 43.4%
 - Loughborough Lemyngton & Hastings; 45.0%
 - Coalville; 56.8%
 - Loughborough – Shelthorpe & Woodthorpe; 57.5%



11. Admissions with Covid-19 to UHL

- Up to 15th January, 4,465 admissions with Covid-19 have been made to UHL by Leicestershire residents since the start of the pandemic.
- Patients aged 60+ account for just under three-quarters (69%) of all admissions from Leicestershire residents.
- In week 2 (9th January 2022 to 15th January 2022), there were 56 admissions with Covid-19 made to UHL by Leicestershire residents; 29 (52%) of these admissions were patients aged 60+.



Note: Counts less than three have been suppressed.

12. District Level Summary

- **Oadby & Wigston** continues to have the highest rate of Covid-19 cases and deaths in the county. The rate of cumulative cases is significantly higher in comparison to the England average.
- From the beginning of September to the 9th November, the weekly counts of cases had shown an increasing trend in Oadby and Wigston. Between the w/c 9th November and the w/c 28th December, the weekly counts of cases fluctuated. The weekly counts of cases then showed a declining trend until the third week of May. Between the third week of May and the 12th of July the weekly counts showed an increasing trend. Following this, the weekly counts of cases fluctuated in Oadby and Wigston before showing an increasing trend from the w/c 6th December to the w/c 27th December. Since the w/c 27th December, a decreasing trend in the weekly counts of cases has been witnessed in Oadby and Wigston.
- The weekly counts of cases have decreased from 966 in w/c 3rd January to 560 in w/c 10th January.
- The latest weekly count of deaths involving Covid-19 shows that one death occurred in Oadby & Wigston in week 1 of 2022; this death occurred in a hospital.

- **North West Leicestershire** has the third lowest rate of Covid-19 cases and the second highest rate of deaths in the county. The rate of cumulative cases is significantly higher than the England average.
- From early September to the 9th November an increasing trend in the weekly counts of cases had been witnessed in North West Leicestershire. Following this, the weekly counts of cases decreased each week for four weeks. The weekly counts of cases then increased for three weeks, before showing a declining trend throughout January, February, March and April. Throughout May the count fluctuated, since then the count increased week on week until the w/c 12th July. The count of cases then decreased for 3 weeks before showing an increasing trend between the 2nd of August and the 20th September. Since then, the weekly counts of cases have decreased week on week with the exception of the period between w/c 8th November and w/c 27th December where the weekly counts of cases showed an increasing trend.
- The latest weekly counts of cases have decreased from 1,749 in w/c 3rd January to 1,044 in w/c 10th January.
- The latest weekly count of deaths shows three deaths involving Covid-19 occurred in North West Leicestershire in week 1 of 2022; one death occurred in a hospital and two deaths occurred in a care home.

- **Blaby** has the second highest rate of Covid-19 cases in the county and the third highest rate of deaths. The rate of cumulative cases is significantly higher compared to the England average.
- From mid-September, the weekly counts of cases in Blaby had shown an increasing trend, with a peak around the 9th of November. From then, the weekly counts of cases have fluctuated, with the exception of the last three weeks of December and the first week of January where the weekly counts of cases increased each week. From early January to mid May, the weekly counts of cases had shown a declining trend. Between mid May and the 20th of September, the weekly counts of cases showed increasing trend. Between the 20th September and the 1st November the weekly counts of cases fluctuated in Blaby. Since then, the weekly counts of cases have shown an increasing trend, with the exception of the last two weeks where the count of cases has shown a decreasing trend.
- The latest weekly counts of cases have decreased from 1,848 in w/c 3rd January to 937 in w/c 10th January.
- The latest weeks data shows that one death involving Covid-19 was recorded in Blaby in week 1 of 2022; this death occurred in a care home.

- **Melton** has the lowest rate of Covid-19 cases and the fourth highest rate of deaths in the county. The rate of cumulative cases is significantly lower than the England average.
- From mid-September, the weekly counts of cases had been increasing week on week in Melton, showing a peak around the 9th of November. A second peak was witnessed around 28th of December. Through January to the end of March weekly counts of cases had shown a declining trend, since then the weekly counts of cases in Melton had fluctuated until mid May. From mid May until w/c 12th July, the weekly count of cases increased week on week. The case count then decreased for 2 weeks before fluctuating until the 6th of December, after which the weekly counts of cases showed an increasing trend to the w/c 27th December. Since then, the weekly counts of cases have decreased week on week.
- The latest weekly count of cases have decreased from 684 in w/c 3rd January to 456 in w/c 10th January.
- The latest weekly count of deaths involving Covid-19 shows that two deaths occurred in Melton in week 1 of 2022; one death occurred in a hospital and one death occurred in a care home.
- **Hinckley & Bosworth** has the fourth highest rate of Covid-19 cases and third lowest rate of deaths in the county. The rate of cumulative cases is significantly higher than the England average.
- From mid-September to the 9th of November, the weekly counts of cases had increased each week in Hinckley and Bosworth. The weekly counts of cases had fluctuated from November 9th to January 11th. From then until mid March the weekly counts of cases decreased, before fluctuating until late May. Between the end of May and the 12th July there was an increasing trend in the weekly counts of cases. Between then and the w/c 22nd November the count of cases fluctuated, before showing an increasing trend until the w/c 27th December. Since then, the weekly counts of cases have shown a decreasing trend.
- The latest weekly count of cases have decreased from 1,986 in w/c 3rd January to 1,010 in w/c 10th January.
- The latest weeks data shows no deaths involving Covid-19 were recorded in Hinckley & Bosworth in week 1 of 2022.
- **Charnwood** has the third highest rate of Covid-19 cases and the second lowest rate of deaths in the county. The rate of cumulative cases is significantly higher in comparison to the England average.
- The weekly counts of cases in Charnwood had shown an increasing trend from early September to mid-October, showing a peak around the 19th of October. Between the 19th of October and the 23rd November the weekly counts of cases showed a declining trend. Following this, the weekly counts of cases increased each week in Charnwood, peaking around December 28th. The rate then showed a declining trend until the 3rd of May, before showing an increasing trend for 10 weeks. Between the 19th of July and the 29th November the weekly count of cases had fluctuated. Since the w/c 29th November, the weekly counts of cases increased week on week for four weeks before decreasing week on week for two weeks.
- The latest weekly counts of cases have decreased from 2,932 in w/c 3rd January to 1,633 in w/c 10th January.
- The latest weeks data shows two deaths involving Covid-19 were recorded in Charnwood in week 1 of 2022; both deaths occurred in a hospital.
- **Harborough** has the second lowest rate of Covid-19 cases and the lowest rate of deaths in the county. The rate of cumulative cases is not significantly different to the England average.
- From the beginning of September to the 9th November, the weekly counts of cases had shown an increasing trend in Harborough. Between the w/c 9th November and the w/c 7th December the weekly counts of cases showed a declining trend. Between then and December 28th, the weekly

counts of cases had increased each week before showing a declining trend until the end of March. Throughout April and May the rate had fluctuated, before showing an increasing trend over the next seven weeks. Between the 19th of July and the 20th of September the weekly counts of cases showed an increasing trend. The weekly counts of cases then fluctuated until the 6th of December, after which the weekly counts of cases increased week on week for three weeks before showing a decreasing trend for the last two weeks.

- The latest weekly counts of cases have decreased from 1,479 in w/c 3rd January to 858 in w/c 10th January.
- The latest weeks data on death occurrences shows that no deaths involving Covid-19 were recorded in Harborough in week 1 of 2022.

If you require information contained in this leaflet in another version e.g. large print, Braille, tape or alternative language please telephone: 0116 305 6803, Fax: 0116 305 7271 or Minicom: 0116 305 6160.

ਐ ਆਪ ਆ ਮਾਫਿਰੀ ਆਪਨੀ ਆਧਾਮਾਂ ਸਮਝਵਾਮਾਂ ਥੀਠੀ ਮਦਦ ਈਝਠਾਂ ਡੀ ਨੀ 0116 305 6803 ਨੰਬਰ ਪਰ ਫ਼ੋਨ ਡਰਠੀ ਅਨੇ ਅਮੇ ਆਪਨੇ ਮਦਦ ਡਰਵਾ ਆਵਠਠਾ ਡਰੀਠੁੰ.

ਜੇਕਰ ਤੁਹਾਨੂੰ ਇਸ ਜਾਣਕਾਰੀ ਨੂੰ ਸਮਝਣ ਵਿੱਚ ਕੁਝ ਮਦਦ ਚਾਹੀਦੀ ਹੈ ਤਾਂ ਕਿਰਪਾ ਕਰਕੇ 0116 305 6803 ਨੰਬਰ ਤੇ ਫੋਨ ਕਰੋ ਅਤੇ ਅਸੀਂ ਤੁਹਾਡੀ ਮਦਦ ਲਈ ਕਿਸੇ ਦਾ ਪ੍ਰਬੰਧ ਕਰ ਦਵਾਂਗੇ।

এই তথ্য নিজের ভাষায় বুঝার জন্য আপনার যদি কোন সাহায্যের প্রয়োজন হয়, তবে 0116 305 6803 এই নম্বরে ফোন করলে আমরা উপযুক্ত ব্যক্তির ব্যবস্থা করবো।

اگر آپ کو یہ معلومات سمجھنے میں کچھ مدد درکار ہے تو براہ مہربانی اس نمبر پر کال کریں اور ہم آپ کی مدد کے لئے کسی کا انتظام کر دیں گے۔ 0116 305 6803

假如閣下需要幫助，用你的語言去明白這些資訊，請致電 0116 305 6803，我們會安排有關人員為你提供幫助。

Jeżeli potrzebujesz pomocy w zrozumieniu tej informacji w Twoim języku, zadzwoń pod numer 0116 305 6803, a my Ci pomożemy.

Business Intelligence Service
Chief Executive's Department
Leicestershire County Council
County Hall
Glenfield
Leicester
LE3 8RA
ri@leics.gov.uk
www.lsr-online.org